

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5431	382/154	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/17 11:06
L2	921	1 and (comput\$3 or computation or determin\$3 or determination) near3 (contour\$3 or form or outline)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/17 11:07
L3	921	2 and (comput\$3 or computation or determin\$3 or determination) near3 (contour\$3 or form or outline)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/17 11:07
L4	0	3 and (local near3 (maximum or maximum or peak) near3 (generat\$3 or generation) near3 (contour\$3 or form or outline))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/17 11:08
L5	0	3 and ((extract\$3 or extraction) near3 numerical near3 features)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/17 11:08
L6	2	1 and ((location or locat\$3) near3 (orientation or angle or scal\$3) near3 feature near3 image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/17 11:09
L7	1	11/600191.app.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/17 11:27

L8	0	1 and (homographic near3 (transform\$3 or transformation or convert\$3 or conversion) near3 feature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/17 12:15
L9	0	3 and (numerical near3 descriptors)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/17 12:16
L10	1	1 and (numerical near3 descriptors)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/17 12:17
L11	8813	345/419	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/17 12:18
L12	1466	11 and (comput\$3 or computation or determin\$3 or determination) near3 (contour\$3 or form or outline)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/17 12:18
L13	0	12 and (numerical near3 descriptors)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/17 12:18
L14	0	12 and (homographic near3 (transform\$3 or transformation or convert\$3 or conversion) near3 feature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/17 12:19
L15	19	12 and (orientation near3 feature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/17 12:19
L16	3	15 and (intrinsic or extrinsic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/17 12:20

L17	8813	345/419	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/17 12:24
L18	1466	17 and (comput\$3 or computation or determin\$3 or determination) near3 (contour\$3 or form or outline)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/17 12:24
L19	0	18 and (numerical near3 descriptors)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/17 12:24
L20	120	18 and (intrinsic or extrinsic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/17 12:24
L21	120	20 and (intrinsic or extrinsic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/17 12:25
L22	3	21 and (orientation near3 feature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/17 12:25
S2	0	"10568268".app.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 11:34
S3	1	10/568268.app.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 11:35
S4	3	(Balslev-Ivar or Eriksen-Dencke).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 11:37
S5	3341	382/199	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 11:40

S6	7033	358/296	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 11:40
S7	473	318/568.13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 11:41
S8	256	318/568.15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 11:41
S9	770	292/175	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 11:41
S10	369	700/262	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 11:41
S11	196	414/416.01	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 11:41
S12	1256	356/601	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 11:42
S13	2889	700/245	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 11:42
S14	767	700/259	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 11:42
S15	2937	382/181	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 11:58

S16	359	(primitive or primary or basic) near3 (identificaton or identify\$3 or recogniz \$3 or recognition) near3 image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 13:22
S17	185279	(comput\$3 or computation or determin\$3 or determination) near3 (contour\$3 or form or outline)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 13:24
S18	5	local near3 (maximum or maximum or peak) near3 (generat\$3 or generation) near3 (contour\$3 or form or outline)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 13:42
S19	14	(identify\$3 or identification) near3 feature near3 (primitive or form or outline) near3 (image or pixels or data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 13:44
S20	0	(extract\$3 or extraction) near3 numerical near3 descriptors near3 feature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 13:45
S21	62	(extract\$3 or extraction) near3 numerical near3 features	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 13:46
S22	18	(location or locat\$3) near3 (orientation or angle or scal\$3) near3 feature near3 image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 13:48
S23	1	homographic near3 (transform\$3 or transformation or convert\$3 or conversion) near3 feature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 13:49

S26	23	("4899095" "5351310" "5471312" "5572103" "5959425" "0528769" "6236896" "6328523" "6501554" "6597971" "6665588").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 15:30
S27	9	S26 and "16"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 15:30
S28	359	(primitive or primary or basic) near3 (identificaton or identify\$3 or recogniz \$3 or recognition) near3 image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 15:30
S29	0	S26 and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 15:30
S30	0	S26 and "L16"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 15:31
S31	0	S26 and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 15:31
S32	3341	382/199	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 15:43
S33	14	S32 and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 15:43

S34	7033	358/296	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/04 10:39
S35	185279	(comput\$3 or computation or determin\$3 or determination) near3 (contour\$3 or form or outline)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/04 10:39
S36	464	S34 AND S35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/04 10:39
S37	5	local near3 (maximum or maximum or peak) near3 (generat\$3 or generation) near3 (contour\$3 or form or outline)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/04 10:40
S38	0	S36 AND S37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/04 10:40
S39	30	homographic near3 (transform\$3 or transformation or convert\$3 or conversion)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/04 10:41
S40	0	S36 AND S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/04 10:41
S41	62	(extract\$3 or extraction) near3 numerical near3 features	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/04 10:41
S42	0	S36 AND S41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/04 10:41

S43	359	(primitive or primary or basic) near3 (identificaton or identify\$3 or recogniz \$3 or recognition) near3 image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/04 10:42
S44	2	S36 and S43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/04 10:42
S45	28	(match\$3 or compar \$3 or comparision) near3 (databas\$3 or collection adj3 data or collection adj3 image or collection adj3 information) near3 similar near3 (object or image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/04 10:43
S46	1	S39 and S45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/04 10:43
S47	18	(location or locat\$3) near3 (orientation or angle or scal\$3) near3 feature near3 image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/04 10:44
S48	1	S41 and S47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/04 10:44
S49	1	S41 and S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/04 10:45
S50	28	(match\$3 or compar \$3 or comparision) near3 (databas\$3 or collection adj3 data or collection adj3 image or collection adj3 information) near3 similar near3 (object or image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/04 10:45

S51	30	homographic near3 (transform\$3 or transformation or convert\$3 or conversion)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/04 10:49
S52	23	("4899095" "5351310" "5471312" "5572103" "5959425" "0528769" "6236896" "6328523" "6501554" "6597971" "6665588").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/04 10:53
S53	0	S52 and (homographic near3 (transform\$3 or transformation or convert\$3 or conversion))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/04 10:53
S54	9	S52 and (transform \$3 or transformation or convert\$3 or conversion)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/04 10:54
S55	5	S54 and (orientation or angle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/04 10:55
S56	1	10/568268.app.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/19 10:31
S57	23	("4899095" "5351310" "5471312" "5572103" "5959425" "0528769" "6236896" "6328523" "6501554" "6597971" "6665588").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/19 11:07

S58	0	S57 and ((classify\$4 or categoriz\$4 or classification) near3 object)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/19 11:08
S59	0	S57 and (classify\$4 or categoriz\$4 or classification)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/19 11:09
S60	6	S57 and (recogniz\$4 or identify\$4 or classify\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/19 11:12
S61	15	("3069654" "4110736" "4115761" "4115805" "4183013" "4388610" "4704694" "4747153" "4748674" "4783829" "4817183" "4845765" "4933865" "4969201").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/19 11:19
S62	3	("4566124" "4748675" "4783829").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/25 11:47

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L23	0	((numerical near3 descriptors near3 extrinsic near3 feature) and (numerical near3 descriptors near3 intrinsic) and (identify \$3 near3 feature near3 recognition near3 image) and (extract\$3 near3 numerical near3 descriptors)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/06/17 12:42

S63	0	((numerical near3 descriptors near3 extrinsic near3 properties near3 feature) and (orientation near3 feature near3 image) and (numerical near3 descriptors near3 intrinsic near3 properties near3 feature) and (homographic near3 transformation near3 apply near3 feature) and (identify near3 feature near3 recognition near3 image) and (match\$3 near3 extract\$3 near3 descriptors near3 database) and (assign near3 object near3 corresponding near3 properties near3 database)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/06/11 13:36
-----	---	---	-----------------------------	----	-----	------------------

6/ 17/ 2010 12:45:33 PM

C:\ Documents and Settings\ awoldemariam\ My Documents\ EAST\ Workspaces\ 10568268.
wsp